

## Container



### 20' Standard Container ISO Grösse 20'x8'x8,6'

Maße	Länge	Breite	Höhe	Gewicht	Volumen
Aussen	6058 mm	2438 mm	2591 mm	2,1to payload 21to	27-29 cbm
Innen	5898 mm	2350 mm	2390 mm	2,1to payload 21to	27-29 cbm



### 40' Standard See Container ISO Grösse 40'x8'x8,6'

Maße	Länge	Breite	Höhe	Gewicht	Volumen
Aussen	12192 mm	2438 mm	2591 mm	4,1to payload 26to	57-59 cbm
Innen	12032 mm	2350 mm	2390 mm	4,1to payload 26to	57-59 cbm



### 40' High CubeSee Container ISO Grösse 40'x8'x8,6'

Maße	Länge	Breite	Höhe	Gewicht	Volumen
------	-------	--------	------	---------	---------

Maße	Länge	Breite	Höhe	Gewicht	Volumen
Aussen	12192 mm	2438 mm	2896 mm	2,1to payload 21to	65-68 cbm
Innen	12032 mm	2350 mm	2695 mm	2,1to payload 21to	65-68 cbm



### **20' Flat Container ISO Grösse 20'x8'x8,6'**

Maße	Länge	Breite	Höhe	Gewicht	Volumen
Aussen	6058 mm	2438 mm	2591 mm	2,3 to payload 26to	25 cbm
Innen	5867 mm	2350 mm	2350 mm	2,3 to payload 26to	25 cbm



### **40' Flat Container ISO Grösse 40'x8'x8,6'**

Maße	Länge	Breite	Höhe	Gewicht	Volumen
Aussen	6058 mm	2438 mm	2591 mm	2,3 to payload 26to	25 cbm
Innen	5867 mm	2330 mm	2350 mm	2,3 to payload 26to	25 cbm



### **20' Kühl Container ISO Grösse 20'x8'x8,6'**

Maße	Länge	Breite	Höhe	Gewicht	Volumen
Aussen	6058 mm	2438 mm	2591 mm	2,9 to payload 21to	25 cbm
Innen	5867 mm	2330 mm	2350 mm	2,9 to payload 26to	25 cbm



### **40' Kühl Container ISO Grösse 40'x8'x8,6'**

Maße	Länge	Breite	Höhe	Gewicht	Volumen
Aussen	12192 mm	2438 mm	2591 mm	5,4 to payload 25to	58 cbm
Innen	11998 mm	2330 mm	2350 mm	5,4 to payload 25to	58 cbm



### **40' Open Top ISO Grösse 20'x8'x8,6'**

Maße	Länge	Breite	Höhe	Gewicht	Volumen
------	-------	--------	------	---------	---------

Maße	Länge	Breite	Höhe	Gewicht	Volumen
Aussen	6058 mm	2438 mm	2591 mm	2,2 to payload 21to	25 cbm
Innen	5867 mm	2330 mm	2350 mm	2,2 to payload 21to	25 cbm



**40' Open Top ISO Grösse 40'x8'x8,6'**

Maße	Länge	Breite	Höhe	Gewicht	Volumen
Aussen	12192 mm	2438 mm	2591 mm	4,2 to payload 25to	58 cbm
Innen	11998 mm	2330 mm	2350 mm	4,2 to payload 25to	58 cbm